

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S20	67	host protected area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:36
S21	2	"5966732".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 15:15
S22	4	09/866332	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 12:51
S23	17	(boot\$3) near2 (protected area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 12:40
S24	83	(boot\$3) with (protected area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 12:40
S25	66	S24 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 12:40
S26	2	(protected (memory or area or portion)) with (user (memory or area or portion)) with (backup or back up or sav\$3 or archiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 07:21
S27	13	(protected (memory or area or portion)) same (user (memory or area or portion)) same (backup or back up or sav\$3 or archiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 07:56

S28	41	(protected (memory or area or portion)) with (user (memory or area or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 07:24
S29	247	((protected or secure or restricted) (memory or area or portion)) with (backup or back up or sav\$3 or archiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:44
S31	3	(copy\$ or sav\$3 or backup or backing up) near3 ((protected or secure or restricted) (area or portion or memory)) near3 ((user (area or portion or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 09:57
S32	21	(copy\$ or sav\$3 or backup or backing up) same ((protected or secure or restricted) (area or portion or memory)) same ((user (area or portion or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:29
S33	2129	smm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:15
S34	0	backup with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:15
S35	164	sav\$3 with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:28
S36	7707	host protected area or "HPA"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:29

EAST

[Signature]

S37	23	(copy\$ or sav\$3 or backup or backing up) near2 S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:30
S38	86	host near2 (protected or hidden) near2 area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:45
S39	67	host protected area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:45
S40	19	S38 not S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 10:58
S41	20	(("5930831") or ("6341328") or ("5881152") or ("5414852") or ("5917928") or ("6424717") or ("6711660") or ("6546489") or ("20040078680") or ("20020133702")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:08
S42	6	("6308283" "6363462" "6366987").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 11:13
S43	54	(backup or backing up or save or saving) near5 ((protected or hidden or secure or restricted) data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 11:35
S44	108	(copy\$3 or sav\$3 or back\$3up or archiv\$3) near4 ((protected or secured or hidden) (area or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 13:46

S45	614	(copy\$3 or sav\$3 or back\$3up or archiv\$3) same ((protected or secured or hidden) (area or portion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 13:46
S46	32	((user or unprotected or "not"protected) (area or region or portion)) same S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 13:57
S47	66	((user or unprotected or "not"protected) (area or region or portion))and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 13:58
S48	34	S47 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/28 13:58
S49	8	(copy\$3 or sav\$3) with (protected (area or space or portion or partition)) with (user (area or space or portion or partition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 10:39
S50	12	(copy\$3 or sav\$3) same (protected (area or space or portion or partition)) same (user (area or space or portion or partition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 10:39
S52	3	((back up or sav\$3 or copy\$3) with (bios)) with ((user or common) (area or space or portion or partition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 12:52
S53	4	((back up or sav\$3 or copy\$3) with (bios)) same ((user or common) (area or space or portion or partition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:01

EAST

[Signature]

S54	8	((back up or sav\$3 or copy\$3) same (bios or hidden area)) same ((user or common) (area or space or portion or partition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:50
S55	3442	(back up or sav\$3 or copy\$3) same (bios or hidden area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:50
S56	1291	(back up or sav\$3 or copy\$3) with (bios or hidden area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:50
S57	215	(back up or sav\$3 or copy\$3) with (bios or hidden area) with ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:51
S58	0	(back up or sav\$3 or copy\$3) with (hidden area) with ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:51
S59	3	(back up or sav\$3 or copy\$3) same (hidden area) same ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:52
S60	14	(back up or sav\$3 or copy\$3) same (protected area) same ram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/31 13:53
S61	171	(service partition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:09

S62	12	(service partition) with (back\$3 up or sav\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:09
S63	75	(service partition) same (back\$3 up or sav\$3 or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:09
S64	29925	setmax or set max or set-max	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:41
S65	0	S64 near beer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:37
S66	8	S64 with beer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:37
S67	8	S64 with bios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:37
S68	48	S64 same bios	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 14:34
S69	13	S64 same beer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:37

S70	113	S64 same protected	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 14:04
S71	54	S64 same backup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:37
S72	32	"setmax" or "set-max"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/01 13:42